

**Lighting The Future** 





As leaders in portable and rechargeable LED Lighting, NightSearcher are continuously investing in the research and development of cutting-edge solutions with innovation and product development at the heart of our operation.

Since 1989, we have proudly manufactured and delivered professional solutions worldwide, our long heritage and unmatched expertise set us apart as the trusted lighting solution of choice, offering high-quality products and solutions for a wide range of applications and budgets. This has established a creditable reputation that has allowed us to work with a variety of professional organisations, including the Police, Fire & Emergency services, Industrial & Construction industries, Automotive, Rail services, Armed Forces, Sports and Utility companies.

At NightSearcher, we are invested in playing our part in the global response to the ongoing threat that climate change presents. We design products with purpose, which support the growing demand for sustainable, zero emission, zero noise alternatives. Our "Think Zero" and "Think Green" ethos demonstrates our commitment and highlights the role that our product portfolio will play in the years to come.

NightSearcher also trades under our brands: NexSun – Professional solar lighting (P36), GenZero – Portable, renewable battery generators (P32) and SafATEX - Lighting for use in hazardous environments (P76).

We want to thank you, our loyal customers for your continued support and trust that our products make your work safer and easier.







NightSearcher's professional products are carefully designed and manufactured to the highest standards to ensure the reliability and durability our customers need. This is why we offer a 3-year standard warranty on all manufacturing defects and 1-year warranty on all rechargeable batteries from the date of purchase.

\*The warranty can be extended to 5 years (free of charge) that covers defects in manufacturing on all NightSearcher products.

To find out more visit: https://nightsearcher.co.uk/en/warranty.html

### **New Products**

Portable Floodlights

This year we bring you our brightest portable light yet, the NEW StratoStar 115,000 lumen portable tower light. We have also added to our range GenZero portable battery powered generators as well as our NEW LunarStar site lights and many more.

Page 4 to 21

Contents

**Work Lights** Page 22 to 27

Power Tool Work Lights Page 28 to 31

**GenZero Battery Powered Generators**Page 32 to 35

NexSun Professional Solar Lights Page 36 To 44

**Site Lights**Page 45 to 49

AC Floodlights
And Security Lights
Page 50 to 51

**Searchlights**Page 52 to 61

Flashlights
Page 62 to 69

**UV Forensic Flashlights**Page 70 to 71

**Head Torches**Page 72 to 75

SafaAtex Lights
Page 76 to 85

**Hazard Warning Lights**Page 86 to 91

**Automotive Lights** Page 92 to 99



**GenZero Battery Generators**Page 32 to 35

All information is correct at time of press, we reserve the right to alter product specifications at any time and for any reason without liability. Product illustrations and effects may be simulated. Errors and omissions excepted.

# **Ideal for Lighting Large Areas Sectors StratoStar can be used in:**

- Rail
- **⊘** Construction and hire
- Military
- **Sports**
- **Highways**
- **⊘** Emergency and rescue



- Fast, safe, one person deployment
- **⊘** 48 hour runtime
- **⊘** IP67 Rated



	2 model available:
31/2	115,000 Lumens
	3850m² beam
O	3 to 48hrs runtime
MODE	High   Medium   Low   Dimmable
	18Ah or 30Ah LifePO4 Li-ion, 1540Wh
<b>*</b>	8hrs charging time
0,0,0,	IP67 (without powerbank)   IKO8
<del>上</del>	Light head: 438 x 290mm
_	Light head: 12.7kg, Tripod: 14.3kg Battery pack: 22kg
CODE	NSSTRATOSTAR

Supplied with protective bags, battery pack, tripod and AC mains charger

**Optional Accessories:** 

400mm Ground anchors: SPGROUNDANCHORS





Scan for multi-language information




ZERO















- Rechargeable or AC mains powered
- Adjustable runtime 3-48 hours
- Light modes: High, medium, low and dimmable
- 360° lighting or adjusted to one direction
- 4m hand winch tripod with extendable tripod leg for use on uneven ground
- IP67 rated, robust, high-impact housing
- Power bank to charge your phone
- 1540Wh LifePO4 lithium battery
- LCD battery status indicators



Power bank to charge your phone

# **StratoStar Key Features:**











Robust aluminium + steel tripod with hand winch and safety locks





















# **New StratoStar**

115,000 Lumens • Rechargeable Multi-Directional Tower Light















### 2 model available:

	Solaris Pro	Solaris Pro-x	
31/2	16,000 Lumens		
	Up to 500m beam		
()	2.25 to 24hrs runtime	4.5 to 48hrs runtime	
MODE	Boost (Search+Flood)   Search   Flood		
	14.8V 18.2Ah, 270Wh, Li-ion	14.8V 36.4Ah, 540Wh, Li-ion	
*	6hrs charging time	8hrs charging time	
0,0,0,	IP65		
<del>上</del>	517 x 155 x 220mm	517 x 155 x 220mm	
_	7kg	8.5kg	
CODE	NSSOLARISPRO Cat No: 0111/122075	NSSOLARISPRO-X Cat No: 0111/115041	

Supplied with AC charger and shoulder strap

### **Optional Accessories:**

Vehicle charger: CHIC16-8V4A-12-30V

Stability pegs: SPTRIPODPEGS

Folding solar panel charger: SPSOLARPANEL Carry case: SPSOLARISPROCASE





Scan for multi-language information







### LCD PROGRAMMABLE DISPLAY:

- Light mode selection Programme runtime up to 48 hours (Solaris Pro) Battery status by colour

















1P65

- Dual optics Spot and wide beam
- Fast-deployment
- Fully programmable light modes, brightness + runtime
- Telescopic pole Extends to 1.85m with built-in cable to avoid trip hazards
- Built-in stability legs for use on uneven ground
- 4 Angle adjustment, 180° swivel and tilting light head
- 2 Battery options available: 18.2Ah or 36.4Ah
- Lightweight at 7kg or 8.5kg







Single large magnet for uneven surfaces

**3 Magnets** 

34.5	6000 Lumens	
	Up to 60m beam	
()	2.5 to 60hrs runtime	
MODE	High   Medium   Low   Dimmable	
	7.4V 13.2Ah, 98Wh, Li-ion	
<b>*</b>	8hrs charging time	
0,0,0,	IP54   IKO8	
<del>上</del>	310 x 350 x 285mm	
<u> </u>	1.5kg	
CODE	NSGALAXYPRO-6K CAT no: 0111/111966	





Supplied with AC mains charger

### **Optional Accessories:**

Tripods: 2m tripod: SPTRIPODSS2M
3.5m tripod: SPTRIPOD3.5M

T-Bar bracket: SPGALAXYTWINTBAR

Magnetic mounts:

Set of 3: SPGALAXYPROMAG
Single large: SPGALAXYMAGMOUNT
AC mains charger: CH8.4V-1.5A
Vehicle charger: CHIC8.4-L-ION





Scan for multi-language information
















- Rechargeable or powered directly from AC mains charger 230V/110V
- Drop tested from 2.5 metres
- Robust housing made from the toughest composite materials
- Charger storage compartment
- **Battery status indicator**
- **Tripod Mountable**
- Lightweight only 1.5kg



# 8 Units will Light 60 x 40m Training Pitch

# **Perfect for Lighting:**

- Football
- Rugby
- Netball
- Tennis
- Cricket
- Basketball courts
- Personal training and many more.....





### **TENNIS COURTS**

Youth Level Training - Single Court - 4/6 Kits Adult Level Training - Single Court - 6 Kits Youth/Adult Level Training - Twin Court - 8 Kits



### **Features & Benefits:**



1 Minute Set Up



Silent Running



Weatherproof IP65 Rated



Unique Optics for Low Light Spills



Zero Emissions



Rechargeable Lithium Batteries



No Maintenance



Safe Air Cushioned Tripod



No Planning Permission Required



Lightweight and Easy to Store

Grants and Funding Available Please call us for help and advice.











# RUGBY + FOOTBALL

Training pitch area 8 kits, 60-40m area Full training pitch area 16 kits





## 🔼 YouTube



Scan for multi-language information

### **Optional Accessories:**

Additional 18Ah power packs: PP14.8 x 18.2PE Vehicle charger: CHIC16.8V4A-12/30B Hi-Vis sand bags: SPSANDBAG Carry bag: SPSPORTSSTARBAG Fence adaptor: SP-FENCEADAPTOR Set of 3 Ground pegs: SPTRIPODPEGS



**Rechargeable Floodlights** 





- **IP65**
- Durable all-weather construction
- Rechargeable lithium-ion battery
- 2 to 16 hours runtime from a single charge
- Optional additional batteries for longer running times
- 1 minute setup and operational from ground level
- No planning permission required
- Unique optics for low light spills
- 3.6 metre air cushioned safety tripod

# **SportStar Key Features**














IP65 rated, suitable for outdoor use all year round



Fits in the boot of your car, lightweight and compact to store











Reflective tripod legs for safety, supplied with stability ground pegs

# **SportStar Accessories**











### For longer runtimes

- IP65 weatherproof rated
- Hook-on tripod bracket
- Durable polyethylene battery case
- On/Off mode switch floodlight can be operated from ground level switch
- Battery status + charging indicator (Red/Amber/Green)

NSCODE: SPP14.8 x 18.2PE



### **NEW** Fence Adaptor

Perfect for Tennis, Netball and Basketball Courts

- Avoid any tripod in run off area
- Extends to 3 metres
- Can be a permanently left on court, only the light head and battery to remove at the end of the training session.
- Easy to install and operate
- Mounts on all standard sport fencing

NSCODE: SP-FENCEADAPTOR

### **HI-VIS Sand bags**

Perfect for Tennis, Netball and Basketball Courts

- Added stability on hard surfaces
- 7kg (Filled)
- Easily fits over tripod leg

NSCODE: SPSANDBAG (Sand not provided)

### Other Sport floodlight available - Call us to find out more:

# **Galaxy Pro Sports Kit**

12,000 lumens - Ideal for goal training sessions



### StratoStar

115,000 lumens - Lights half a football pitch



# **Solaris Duo 40K**

High-Power Rechargeable Portable Lighting System with Dual Light Heads



















100m Beam




3 to 24hrs



IP54/67

- Fast-deployment, all fits in one case
- 2 telescopic extension poles reaching up to 1.85m
- Built-in stability legs for use on uneven ground
- Housed in highly robust IP67 polypropylene case
- Replacement for generator powered lights
- Portable, sturdy and stackable
- Swivel and tilting light head



Supplied with AC mains charger

### **Optional Accessories:**


Solar panel charger: SPSOLARPANEL Vehicle charger: CHIC16.8V4A-12/30V Mains charger: CH16.8-8A-LI-ION







Scan for multi-language information



MegaStar 20K
Rechargeable Portable Lighting Kit, For Lighting Large Remote Areas














### **Optional Accessories:**

Power pack: PP14.8X18.2PE Stability ground pegs: SPTRIPODPEGS Hi-Vis sand bags: SPSANDBAG









# Upgraded Solaris MegaStar + Maxi 20K Rechargeable, Portable, 20,000 Lumens Floodlight with a New Battery Power Pack











### 2 model available:

	Solaris MegaStar	Solaris Maxi	
31,5	20,000 Lumens		
Ĭ	Up to 50m beam		
()	24Ah: 2hrs 15min to 18hrs runtime   38Ah: 3.5 to 28hrs runtime		
MODE	High   Medium   Low   Eco		
	24Ah SLA   38Ah, SLA		
*	7hrs charging time (24Ah)   10hrs charging time (38Ah)		
****	IP65		
CODE	NSSOLARISMEGASTAR-24 NSSOLARISMEGASTAR-38	NSSOLARISMAXI-24 NSSOLARISMAXI-38	

Supplied with AC charger



### **UPGRADED POWER PACK:**

- Durable polycarbonate case
  Battery status + charging indicators
  Light modes operated from battery pack
- Carry handle








Scan for multi-language information



**Rechargeable Floodlights** 








12,000lm

110m Beam

2 to 9hrs

IP64

- Rechargeable, can be powered directly from AC Charger
- **Robust housing**
- Slimline design
- 180° Swivel stand, lights can be independently angled
- **Tripod mountable**
- Battery status + charging indicator
- Control panel including thermo sensor and battery status indicator



Supplied with AC mains charger and tripod mounting brackets

**Optional Accessories:** 

2m Stainless tripod: SPTRIPODSS2M 3.5m tripod: SPTRIPOD3.5M









- Control panel including thermo sensor
- Battery status indicator Can be powered directly from AC charger



# **Tower Pro Range**

Collapsible Hybrid-Powered Floodlight, Rechargeable + AC Powered



Tower Pro 2K		Tower Pro 5K	New Tower Pro 7K	New Tower Pro 10K	
31/2	2,000lm	5,000lm	7,000lm	10,000lm	
Ĭ	Up to 30m beam	Up to 90m beam	Up to 95m beam	Up to 110m beam	
()	2 to 8.5hrs runtime	1 to 5hrs runtime	1.5 to 5hrs runtime	1.5 to 5hrs runtime	
MODE	High   Medium   Low				
	3.7V 4000mAh 15Wh, Li-ion	7.4V 4000mAh 30Wh, Li-ion	7.4V 4000mAh 30Wh, Li-ion	14.4V 4000mAh 58Wh, Li-ion	
*	4hrs charging time	6hrs charging time	6hrs charging time	4.5hrs charging time	
****	IP x 4   IK07	IP x 4   IK07	IP54   IK07	IP54   IK07	
<b>,</b>	95 x 100 x 1700mm Folded: 80 x 665mm	160 x 122 x 2000mm Folded: 122 x 160 x 890mm	95 x 100 x 1700mm Folded: 80 x 665mm	150 x 150 x 2200mm Folded: 150 x 647mm	
<u> </u>	1.8kg	4.5kg	3.5kg	5.49kg	

**NSTOWERPRO-7K** 

**NSTOWERPRO-10K** 

4 models available:

Supplied with 2K/7K: Type C charging USB cable and carry case | 5K/10K: AC charger and carry case

**NSTOWERPRO-5K** 

20 www.nightsearcher.co.uk

CODE NSTOWERPRO-2K













- Portable, collapsible design, quick and easy to setup
- Multi-angle rotational lights
- Can be powered direct from AC mains (medium mode only)
- Robust housing
- Switch & brightness control panel
- Warm white and cool white light modes
- Battery charging indicator
- Supplied with carry case













Fits on your key ring







- Compact and powerful 500 lumens
- Easily fits on your backpack, handbag or pocket
- Magnetic base and back for hands-free operation
- Rechargeable lithium battery
- Tough aluminium housing
- Fast charging USB Type C connection

31,5	500 Lumens	
O	0.5 to 8hrs runtime	
MODE	Boost   High   Medium   Low	
	3.7V 300mAh, 2Wh, Li-ion	
*	1hr charging time	
1,1,1,	IP54   IK07	
<del>上</del>	60 x 27.5 x 15mm	
<u> </u>	34g	
CODE	NSROO-STAR500	

Supplied with USB-C fast charging cable

### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION








Scan for multi-language information



New Roo-Star 1200
Rechargeable Slim Inspection Light with Powerful Spot and Flood Beam











- Compact design that easily fits in your pocket or in your toolbox
- Wide floodlight and dimmable
- Narrow spot beam
- Magnetic base for hands-free operation
- Rechargeable lithium battery
- Tough aluminium housing
- Fast charging USB Type C connection

34.5	1200 Lumens	
()	1.5 to 12hrs runtime	
MODE	Flood: High   Medium   Low   Dimmable   Spot: High	
	3.7V 2000mAh, 3.7Wh, Li-ion	
<b>*</b>	3hrs charging time	
****	IP54   IK07	
<b>上</b>	115 x 46 x 26mm	
<u> </u>	147g	
CODE	NSROO-STAR1200	

Supplied with USB-C fast charging cable

### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION









New Duo Star
Rechargeable, Double Sided Spot and Work Light



31/2	550 Lumens	
()	4.5 to 9hrs runtime	
MODE	Flood: High   Dimmable Spot: High   Low   Dimmable	
	3.7V 2000mAh, 4.7Wh, Li-ion	
*	3.5hrs charging time	
****	IPX4   IK07	
<del>上</del>	72 x 76 x 49.5mm	
<u> </u>	170g	
CODE	NSDUOSTAR	

Supplied with Type C USB charging cable

**Optional Accessories:** 

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION








Scan for multi-language information

24 www.nightsearcher.co.uk



New Nova Star

High Powered Multi-Functional Work Light, with Fold Flat Design



31/2	2000 Lumens	
	Up to 50m beam	
(U	1.5 to 5hrs runtime	
MODE	High   Medium   Low   Red   Red Flashing	
	3.7V 4000mAh, 15Wh, Li-ion	
*	5.5hrs charging time	
*1*1*1	IPX7   IKO7	
<b>上</b>	180 x 59 x 115mm	
_	680g	
CODE	NSNOVASTAR	

Supplied with USB-C fast charging cable

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



Flashing red emergency light



Tripods: 2m tripod: SPTRIPODSS2M









Power bank to charge your phone



Tripod mountable check optional accessories for more details





Galaxy 1200
Robust, Heavy-Duty Rechargeable Work Light





Supplied with USB charging cable

### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M





check optional accessories for more details



charge your phone



# **Galaxy Star**

Incredibly Power And Bright Work



Optional magnetic mount and scaffold bracket

Robust edge protection

1.6 to 11hrs

- Compact, fold flat design
- **USB** rechargeable

**IP54** 

**Battery status and charging indicator** 

Ultra powerful magnetic handle Battery status + charging indicator Power bank to charge your mobile

- Industrial strength aircraft grade aluminium
- Optional magnetic mount and scaffold bracket

31/2	2800 Lumens
	Up to 90m beam
<b>(</b>	1.6 to 11hrs runtime
MODE	100%   70%   45%   35%   20%
	7.4V 2200mAh, 8.14Wh, Li-ion
<b>★</b> •	3.5hrs charging time
*4*4*4	IP54   IKO7
<b></b>	170 x 170 x 48mm
	701g
CODE	NSGALAXYSTAR

Supplied with USB charging cable

### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M





Tripod mountable check optional accessories for more details



Power bank to charge your phone



# Galaxy 1000 and 2000 Compact, Lightweight and Portable Work Lights



### 2 models available:

	Galaxy 1000	Galaxy 2000
345	1000 Lumens	2000 Lumens
	Up to 10m beam	Up to 20m beam
(U	1.4 to 3.2hrs runtime	2 to 4hrs runtime
MODE	High   Low	High   Low
	Li-ion 3.7V 4000mAh, 15Wh	7.4V 4000mAh, 30Wh, Li-ion
*	3.5hrs charging time	6.5hrs charging time
*,*,*,	IP54	IP54
上	72 x 76 x 49.5mm	72 x 76 x 49.5mm
<u> </u>	539g	730g
CODE	NSGALAXY1000	NSGALAXY2000

Supplied with GALAXY1000: USB charging cable Galaxy 2000: USB-DC1 charging cable

### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION Tripods: 2m tripod: SPTRIPODSS2M










### 360° handle and stand





# **Work Lights Powered by Power Tool Batteries**



Compatible with the most popular power tool batteries: 18-21V Makita, Dewalt, Milwaukee, Bosch, Stanley, Porter Cable, Black & Decker (Not supplied) (Metabo, Festool, Hilti - optional adaptors)



WorkStar Connect
Accepts one power tool battery



Supplied with 4 x power tool battery adaptors



TwinStar Connect
Accepts up to two power tool batteries

# **Upgraded** WorkStar Connect



4	3000 Lumens
	Up to 30m beam
D	2 to 16hrs runtime
DE	High   Medium   Low
<b>II</b> )	Powered by power tool batteries 18-21V Makita, Dewalt, Milwaukee, Bosch, Stanley, Porter Cable, Black & Decker (Metabo, Festool, Hilti - optional adaptor)
11.1	IP54 (without battery)
<b>L</b>	225 x 90 x 340mm
3	1kg
DE	NSWORKSTARCONNECT

Supplied with 4 power tool adaptors

### **Optional Accessories:**

Power tool adaptor (18-21V batteries): Metabo: SPWORKSTARCONNECT-AD-A Festool: SPWORKSTARCONNECT-AD-B Hilti: SPWORKSTARCONNECT-AD-C Quick release tripod: SPTRIPOD1.6-CON





Power bank to charge your phone



check optional accessories for more details







IP54

- Accepts batteries from 11 leading power tool brands
- Robust construction with toughened glass lens
- Strong magnetic base
- Adjustable stand with hanging hook
- USB powerbank to charge your mobile devices
- Compact, fold flat design for easy storage
- IKO7 shock proof
- Tripod mountable





31/2	12,000 Lumens, 6000 per light head		
¥	Up to 50m beam		
(U	1 to 8hrs runtime		
MODE	High   Medium   Low		
	Powered by power tool batteries 18-21V Makita, Dewalt, Milwaukee, Bosch, Stanley, Porter Cable, Black & Decker (Metabo, Festool, Hilti- optional adaptor)		
****	IP54 (without battery)		
<del>」</del>	Light head: 475 x 170 x 140mm		
_	Light: 1.8kg   Tripod: 2.1kg		
CODE	NSTWINSTARC		

Supplied with 4 Power tool adaptors and 1.6m tripod

### **Optional Accessories:**

Power tool adaptor (18-21V batteries): Metabo: SPWORKSTARCONNECT-AD-A Festoool: SPWORKSTARCONNECT-AD-B Hilti: SPWORKSTARCONNECT-AD-C











### 3 model available:

	KangaStar 2K	KangaStar 5K	KangaStar 10K
31/2	2,200 Lumens	5,000 Lumens	10,000 Lumens
¥	Up to 25m beam	Up to 50m beam	Up to 100m beam
()	5.5 to 22hrs (6Ah battery)	3 to 15 hours runtime (6Ah battery)	1.5 to 7.5hrs (6Ah battery)
MODE	High   Medium   Low	20%   40%   60%   80%   100%	20%   40%   60%   80%   100%
****	IP65 (without battery)		
<del>】</del>	215mm x 150mm x 98mm	290mm x 145mm x 265mm	265mm x 145mm x 360mm
<u> </u>	1.24kg	2.9kg	3.1kg
CODE	NSKANGASTAR-2K	NSKANGASTAR-5K	NSKANGASTAR-10K









### Supplied with:

KangaStar 2K Choose integrated A or B power tool adaptor:



Adaptor A: Panasonic, Makita, Hikoki (Hitachi), Bosch



Adaptor B: Dewalt, Milwaukee, Metabo

### KangaStar 5K and 10K

Choose either A or B power tool adaptor:



Adaptor A: Panasonic, Hikoki, Makita, Bosch



Adaptor B: Dewalt, Milwaukee, Metabo

# Optional accessories: KangaStar 5K and 10K



Optional Adaptor C: Flex , Festool, Einel, Parkside NSCODE: SPKANGA-AD-C



**6Ah Battery:** NS CODE: SPKANGA-BA



AC mains adaptor to charge the 6Ah battery or power the light straight from AC mains. NS Code: SPKANGA-AC

3.5m tripod: SPTRIPOD3.5M T-Bar for tripod: SPTBARSS-KANGA

# **Work Lights Powered by Power Tool Batteries**





Compatible with the most popular power tool batteries: 14.4V + 18 Dewalt, Milwaukee, Makita, Hikoki (Hitachi), Bosch, Panasonic, Metabo (Not supplied) (Flex , Festool, Einhell, Parkside - optional adaptor)



# **New KangaStar 2K | 5K | 10K Work Lights**

### **3-in-1 Power Supply System:**

- Power Tool Adaptor
- **9** 6Ah Battery (5K + 10K)
- **O** AC Mains (5K + 10K)













- Accepts batteries from 11 leading power tool brands
- Robust aluminium construction with tempered glass lens
- Convex Lens for improved optics

5.5 to 22hrs

- IP65 Rated, Impact resistant aluminium housing
- Hanging hooks
- Tripod mountable (5K + 10K model)
- Magnetic base (2K model)





### ZERO EMISSIONS - MAXIMUM POWER









### RECHARGEABLE. BATTERY POWERED GENERATORS

Introducing GenZero, NightSearcher's innovative range of battery powered generators. A selection of three portable generators designed to provide reliable and efficient power to areas where it's needed the most. Perfect for both industrial and residential applications.

GenZero generators provide maximum electric power with zero emissions. NightSearcher is committed to promoting a greener, cleaner way of working that helps the environment and businesses off-set their carbon neutral footprint.



# **GenZero** 2000Wh Capacity Battery

GenZero 1800W 3000Wh Capacity Battery









Scan for multi-language information



**BOOW** 

800W

1600W

1800W

3600W

GenZero delivers safe and reliable power to areas with restricted access to an electricity supply:



Ideal for emergency power in natural disasters

inverter energy and LCD displays



Flexible power supply for tools and lighting on remote sites












## **New GenZero 500W**

**500Wh Capacity Battery** 

### Small Generator for Home, Work and Recreation

- Easily powers a selection of home appliances such as kettles, TV, air pumps, mini-refrigerators, laptop and more
- Wireless charger for your mobile
- 3 hours fast charging (80%)
- Ideal in the event of a power cut
- LED light
- Digital LCD display
- Multiple charging outputs
- Operates at 50-60Hz AC across its fixed voltage supply of 230V and provides pure sine wave AC output
- Carry handle for easy transportation
- Housed in a rugged, durable case and lightweight design at only 5kg





Continuous Output	500W
Peak Output	800W
Battery Capacity	500Wh
Battery Type	Rechargeable Lithium Battery
Charging Time	3hrs (80%) - 4hrs (100%)
AC Output Voltage	230V
DC Outputs	12V/10A (Max)
USB Outputs	2 x Type-C Output: PD60W 2 x USB-A Output:12V/1.5A
Charging Input	12-24VDC 5A adaptor
Charge Methods	AC-DC mains charger Solar panel charger Vehicle charger
Frequency Range	50-60Hz
Sine Wave Type	Pure Sine Wave
Life of Battery	More than 1000 cycles
IP Rating	IP44/IP54/IP65 depending on AC output plug fitted
Supplied with	AC Mains Adaptor
Net Weight	5kg
Dimension	241Lx161Wx181H mm
NS Code	GENZERO-500W-230V





### More models coming soon, contact us for more details: sales@nightsearcher.co.uk | +44 (0)23 9238 9774





### New GenZero 800W 2000Wh Capacity Battery

### **Industrial Portable Power Station**


- Provide maximum electric power on large or remote sites with zero emissions
- An efficient, reliable power supply for site lighting or equipment
- Ideal for emergency power in natural disasters and powering household appliances
- Housed within super-tough, rugged IP66 protective case
- 3 hours fast charging (80%)
- LCD digital display, safe and easy to operate
- Offer powerful and super-efficient 230V or 110V portable power supply and provides reliable pure sine-wave inverter energy
- Can be charged from AC mains, DC output or solar
- Highly portable can be carried by one person
- Includes safety system protection including overcharge/discharge, overload over temperature, short-circuit and under-voltage



Continuous Output	800W
Peak Output	1600W
Battery Capacity	2000Wh
Battery Type	Rechargeable Lithium Battery
Charging Time	3hrs (80%) - 8hrs (100%)
AC Output Voltage	230V or 110V
DC Outputs	12V/10A (Max)
USB Outputs	-
Charging Input	29V DC 10A adaptor
Charge Methods	AC-DC mains charger Solar panel charger Vehicle charger
Frequency Range	50-60Hz
Sine Wave Type	Pure Sine Wave
Life of Battery	More than 1000 cycles
IP Rating	IP44/IP54/IP65 depending on AC output plug fitted
Supplied with	AC Mains Adaptor
Net Weight	15.5kg
Dimension	408Lx311Wx166H mm
NS Code	GENZERO-800W-110V GENZERO-800W-230V



### More models coming soon, contact us for more details: sales@nightsearcher.co.uk | +44 (0)23 9238 9774





# New GenZero 1800W

**3000Wh Capacity Battery** 

### **Industrial Portable Power Station**

- Provide maximum electric power on large or remote sites with zero emissions
- An efficient, reliable power supply for site lighting or equipment
- Ideal for charging tools and supporting remote working devices
- 2 hours fast charging (80%)
- Highly portable, carry case with extendable handle and wheels
- Housed within super-tough, rugged IP66 protective case
- LCD digital display, safe and easy to operate
- Offer powerful and super-efficient 230V or 110V portable power supply and provides reliable pure sine-wave inverter energy
- Can be charged from AC mains, DC output or solar
- Recharges in only 6 hours
- Includes safety system protection including overcharge/discharge, overload over temperature, short-circuit and under-voltage



Continuous Output	1800W
Peak Output	3600W
Battery Capacity	3000Wh
Battery Type	Rechargeable Lithium Battery
Charging Time	2hrs (80%) - 4hrs (100%)
AC Output Voltage	230V or 110V
DC Outputs	12V/3A (Max)
USB Outputs	5V/1A
Charging Input	54.6V DC 10A adaptor
Charge Methods	AC-DC mains charger Solar panel charger Vehicle charger
Frequency Range	50-60Hz
Sine Wave Type	Pure Sine Wave
Life of Battery	More than 1000 cycles
IP Rating	IP44/IP54/IP65 depending on AC output plug fitted
Supplied with	AC Mains Adaptor
Net Weight	25kg
Dimension	348Lx205Wx458H mm
NS Code	GENZERO-1800W-110V GENZERO-1800W-230V



More models coming soon, contact us for more details: sales@nightsearcher.co.uk | +44 (0)23 9238 9774











At NightSearcher, we are invested to play our part in the global push to address concerns for the climate and environment. NexSun forms part of our "Think Zero" and "Think Green" ethos which highlights the benefits of portable rechargeable and solar technology, and the vital role they'll both play for years to come.



**NEXSUN.CO.UK** 

Zero emissions, zero cables, zero noise, all encompass our product range in the drive for a greener, safer and sustainable environment for us all.

NexSun 2000 Slim, Modern Solar Flood Light, with PIR Sensor



31/2	2000 Lumens
	Up to 45m Flood beam
(U	8hrs runtime
MODE	PIR Sensor mode Set timer mode
A <sup>™</sup> PIR	4 Metres
<b>**</b>	6.8W Mono-crystalline
	3.7V 2000mAh, Li-ion
*	7.5hrs charging time
****	IP65
×	Straight pole mount Wall mount
<b>J</b>	452 x 246 x 85mm
<u> </u>	2kg
CODE	NEXSUN-2000



multi-language information

Supplied with 2 x U shaped bracket, fixings and remote control



2000lm 45m Beam

8hrs

IP65

- · Slim modern design
- · Automatically turns ON/OFF dusk till dawn
- · Optical lens anti-glare light
- · Motion sensor that can reaches up to 4 metres
- · Manual on/off switch or remote control operated
- · Simple to install with no wiring required
- Operate for 10 continuous nights without recharge

# NexSun 1800 & 5000 Slim, Modern Solar Flood Light, with PIR Sensor



## NexSun 1800

NexSun 5000













- · Slim modern design with optical lens anti-glare light
- Automatically turns ON/OFF dusk till dawn
- Wide angled motion sensor that can reaches up to 8-12 metres
   Next generation LiFePO4 battery (NexSun 5000 only)
- Simple to install with no wiring required
- · Features temperature control system to optimise battery power
- · Battery status indicators

#### 2 models available:

	NEXSUN 1800	NEXSUN 5000	
3/15	1800 Lumens	5000 Lumens	
A <sup>® PIR</sup>	8 Metres	8-12 Metres	
(U	12hrs runtime		
MODE	PIR Sensor mode	PIR Sensor mode   Set timer mode	
	7.4V 5800mAh, Li-ion	9.6V 1200mAh, LiFePO4 lithium battery	
<b>★</b> •	5-6hrs charging time	8-10hrs charging time	
****	IP65		
X	Straight pole mount   Wall mount		
<del>上</del>	493 x 232 x 58mm	700 x 290 x 74mm	
<u> </u>	3kg	5.2kg	
CODE	NEXSUN-1800	NEXSUN-5000	

Supplied with 1 x Arch shaped bracket 2 x U shaped bracket and fixings and remote control.










## NexSun 2500

Ultra-modern, Slimline Rechargeable Modular Solar Powered Flood Light



31/2	2500 Lumens
	Up to 35m Flood beam
()	Up to 15hrs
MODE	Sensor mode   Dim mode   Set timer mode
A <sup>™</sup> PIR	4 Metres
<b>**</b>	1W Mono-crystalline
	115WH 6.4V LiFePO4 lithium battery
*	9-10hrs Charging time
****	IP65
×	Wall mount   Ceiling mount   Tripod mount
<b>1</b>	Floodlight: 375 x 275 x 45mm Solar panel: 660 x 350mm
	5kg
CODE	NEXSUN-2500

Supplied with 4.5 metre cable and remote control

- **₹** 2500lm
- 35m Beam
- 15hrs
- IP65
- · Automatically turns ON/OFF dusk till dawn
- 15 metres Microwave motion sensor
- · Ideal for where no AC mains power e x ists
- Manual on/off switch or remote control operated
- · LiFePO4 high capacity lithium battery
- · Flood light is housed in aircraft grade aluminium
- Battery status Indicator



NexSun 2500RC
Rechargeable Solar Linear Light with a High-Powered Solar Panel



31/2	2500 Lumens
	Up to 5m, 120° Flood beam
(U	Up to 12hrs runtime
MODE	Sensor mode   Dim mode   Set timer mode
<b>A</b> PIR	8 Metre
Ž.	18W Mono-crystalline
	154WH 12.8V LiFePO4 lithium bat
*	6hrs charging time
****	IP65
×	Wall mount   Ceiling mount
<b>J</b> .	92 x 48 x 600mm
<u> </u>	2.8kg
CODE	NEXSUN-2500RC

Supplied with 5 metre cable, wall switch and remote control







- IP65 38 www.nexsun.co.uk
- · Adjustable mounting bracket
- · Ideal replacement for fluorescent fittings in sheds and garages
- · Automatically turns ON/OFF dusk till dawn
- · Light can be ON/OFF like a regular light by wall mounted switch
- Robust Polycarbonate and aluminium housing



# NexSun Bollard Light Multi-Coloured Cylinder & Square Bollard Lights



### 2 models available:

	CYLINDER BOLLARD	SQUARE BOLLARD	
31/2	220 Lumens		
(0)	Up to 16h	rs runtime	
MODE	Cool   Warm White Light Full Colour Spectrum   Dimmable		
	6.2W Mono-Crystalline		
	12,000mAh 3V LiFePO4 lithium battery		
<b>★</b>	6hrs charging time		
*4*4*4	IP65		
<b>井</b>	225 x 255 x 90mm		
<b>A</b>	4.4kg		
CODE	NEXSUN-BOLLARD-C NEXSUN-BOLLARD-S		
Supplied with remote control			







# NexSun 400

Solar Powered Garden Feature and Security Light



· Durable ABS plastic housing · Installs in Minutes - No wiring

· Ideal for providing lighting to driveways, sheds and garages with no mains power required

400 Lumens Up to 10m Flood beam Up to 8hrs (1) MODE Sensor mode | Dim mode | Always on mode æ PIR 10 Metres, Lights up for 30 seconds when activated Mono-crystalline לוו 2000mAh 3.7V lithium battery **1 8hrs Charging time** IP65 70,0 X Wall mount | Bracket Mount (optional extra) 九 115 x 103 x 42mm 200g CODE NEXSUN-400 | Cat No: 0111/114275

Supplied with fixings

**Optional Accessories:** 

Anti theft bracket: SPSOLARBRACKET



1100 Lumens Up to 20m Flood beam

# **NexSun 1100RC**

Solar Powered Garden Feature and Security Light



<u>(J)</u> Up to 8hrs runtime MODE Sensor mode | Power saving mode Always on mode | Automatic power adjust mode **Emergency mode A** PIR 10 Metres, Lights up for 30 seconds when activated Mono-crystalline (III 7800mAh 3.7V lithium battery **+** 8hrs charging time 7070 **IP65** X Wall mount | Bracket Mount (optional extra) 上 210 x 140 x 108mm 600g CODE NEXSUN-1100RC | Cat No: 0111/114319

Supplied with fixings

**Optional Accessories:** 

Anti theft bracket: SPSOLARBRACKET



8hrs

**IP65** 







· Durable ABS plastic housing · Installs in Minutes - No wiring

Modern wedge design

· Ideal for providing lighting to driveways, sheds and garages with no mains power required

· Increasing security around your home & garden


Automatically turns ON/OFF dusk till dawn

40 www.nexsun.co.uk



# New NexSun 1000SL Wall Mounted Solar Security & Flood Light





Supplied with fixings

**Motion Sensor Controls** 





Night - Day Adjustable Settings




**Light Time** Adjustable Settings




NexSun 2in1
Wall-mounted LED Security Light with a Detachable Body








Scan for multi-language information





New NexSun Brick Light

Exterior Brick Light That is Perfect for Increasing Security Around your Home and Garden




Simple to operate

Power on/off + light mode button on the back of the light









- · Increasing security around your home & garden
- · Automatically turns ON/OFF dusk till dawn
- · VO Fire proof housing
- · Anti UV housing reduces UV damage and fading
- · Designed to illuminate a large 140 degree area below, LEDs are protected by tempered glass
- No 240V AC Mains connection required
- Ideal for use in doorways, pathways and outbuildings

34.5	900 Lumens	
()	Up to 4 nights, (10 Hours Continuously)	
MODE	Sensor mode   Energy Saver mode	
A <sup>®</sup> PIR	140° 6 Metres	
	2.8W 5.5V Poly-Crystalline	
	3.7V 3000mAh 18650 lithium battery	
*	10hrs charging time	
1,1,1	IP65	
<b>↓</b>	230 x 97 x 42mm	
	570g	
CODE	NEXSUN-BRICK	










43

NexSun Solar Panel
Rechargeable Foldable 48W Solar Panel - Recharge Products On The Go



Foldable design



- 19.8% Highly efficient Monocrystalline Solar Cell
- 48W Solar Panel
- Designed to be portable and withstand outdoor environment
- **Excellent low light capabilities**
- Working temperature -20° to 70°C
- · Foldable design
- IP65 Rated
- · Maximum portability and perfect for your when your searchlight or floodlight needs a quick recharge.

#### **Dual Recharging Outlets:**



8.4V + 16.8V DC + USB 5

#### **Dimensions:**

Foldable size: 306mm x 309mm Open size: 1197mm x 309 x 3mm

**Product code: SPSOLARPANEL** 

## Compatible NightSearcher products:




Solaris Pro and Solaris Pro- x Floodlight P8



Solaris Duo 40K Floodlight P16



**Environmentally Friendly** = 100% Energy Saving





ProStar & ProStar Lite Searchlight P56



Panther x HP Searchlight P59



**Multiple plug options** 








- 110V or 230V or 240V



- 1,000 lumens per metre
- Enclosed in a clear flexible plastic sheath
- Can be reused or relocated
- Simple plug and play system
- . Suitable for indoor or outdoor use
- Reduces risks from slips, trips, and other hazards







15 metres 15,000 Lumens

25 metres 25,000 Lumens

50 metres 25,000 Lumens

Expandable handle

Ideal for use in areas where access and egress need to be illuminated

#### 3 models available:


	15 metres	25 metres	50 metres
31/2	15,000 Lumens	25,000 Lumens	50,000 Lumens
¥	120° degree beam angle		
Œ	110V or 230V or 240V		
MODE	High		
*4*4*4	IP65 (depending on plug attachment)		
<u> </u>	3kg	4kg	7kg
CODE	NSRL15	NSRL25	NSRL50

Supplied on a reel and mounting clips



Scan for multi-language information





New Lunar Star 28K
High Energy Efficient Site Light with 360° Illumination
























- Mains or generator powered including **GenZero battery generators**
- Fast, safe, one person deployment
- 360° illumination
- Fitted with 14640 spigot
- Optional 2.6m winch tripod
- Easy to store and transport
- Indoor or outdoor use
- Inside cable storage

31/2	28,000 Lumens	
	360° beam	
Œ	110V or 240V	
MODE	High	
****	IP65 IK08	
<b>上</b>	820 x 265mm Ø	
<u> </u>	8.6kg	
CODE	NSLUNARSTAR28K	

Supplied with 5m cable, protective light head carry bag and hanging mount

### **Optional Accessories:**

Tripod: SPTRIOPOD2.6

14 Metre extension lead: SPCABLE14M











multi-language information





# **New Lunar Star 40K**

High Energy Efficient Site Light with Multi-directional Rotation












31/2	40,000 Lumens	
	360 Degree beam	
Œ	110V or 240V	
MODE	High	
****	IP65 IK08	
J.	200 x 400mm Ø	
_	7.8kg	
CODE	NSLUNARSTAR40K	



Optional Accessories: Tripod: SPTRIOPOD4

14 Metre extension lead: SPCABLE14M











Winch tripod Safely raise the light head up to 4 metres



# LinkStar Kits | EcoStar

Linkable Site Floodlights Designed for Industrial Applications














Single light head with 2.2m tripod stand

with 2.2m tripod stand and T-Bar bracket

### **Choose Voltage:**

#### **Choose:**

Single or double E 110V or 240V



#### **Choose Lumens:**

3,600lm (30W) 6,000lm (50W)


12,000lm (100W)

- 110V or 240V AC 50/60Hz
- Linkable floodlights
- 120° beam angle
- Adjustable brackets
- Strong die-cast aluminium casing with stainless steel fitting
- **Designed for industrial applications**
- Toughened glass lens
- Light head can also be bought separately

## 110V LinkStar Example:

### **30W**

----- 25 Units





**CAN BE POWERED BY** GENZERO P32 BATTERY POWER GENERATORS

## LinkStar Kits

### 3 Models available:

	LinkStar 30W	LinkStar 50W	LinkStar 50W
31/2	1 head - 3,600lm 2 heads - 7,200lm	1 head - 6,000lm 2 heads - 12,000lm	1 head - 12,000lm 2 heads - 24,000lm
Œ	110V or 240V		
MODE	High		
0,0,0,	IP65		
CODE	NSLINKSTAR30-KIT NSLINKSTAR30TWIN-KIT	NSLINKSTAR50-KIT NSLINKSTAR50TWIN-KIT	NSLINKSTAR100-KIT NSLINKSTAR100TWIN-KIT

## Supplied with 2.2m swing legged tripod stand and T-Bar Bracket (Twin heads)

#### **Optional Accessories:**

14 Metre extension lead: SPCABLE14M Scaffold Bracket: SPSCAFFOLDBRACKET



### LinkStar Light Heads 3 Models available:

	LinkStar 30W	LinkStar 50W	LinkStar 50W
31/5	3,600lm	6,000lm	12,000lm
Œ	110V		
MODE	High		
1,1,1,	IP65		
CODE	NSLINKSTAR30	NSLINKSTAR50	NSLINKSTAR100



Scan for multi-language information













- 10 x 660 lumen, 110V LED lights spaced every 2 metres
- Low heat output Saves 80% electrical power
- Highly robust polycarbonate lenses and body with handy loops for fixing with cable ties.
- 22 metres 2.0mm yellow arctic grade cable with 16A 110V CEE plug
- Multiple festoons can be linked to form a longer light chain via a junction box
- Fully insulated for indoor and outdoors

31/2	660 Lumens per lamp	
Œ	110V AC 16A	
MODE	High	
1,1,1,1	IP44	
<del>上</del>	22 metres	
<u> </u>	2.14kg	
CODE	NSFESTOON22M8W	

Supplied with 22 Metre 2 x 75mm yellow arctic grade cable with 16A 110V CEE Plug


Optional Accessories: 14 Metre extension lead: SPCABLE14M







Scan for multi-language information



EcoStar Pro Flodlights
Industrial Floodlights, Low Energy Consumption and Extremely Durable Aluminium





**〕** 110V or 240V

FF 1P65

**Choose:** 

Single or double light head

**Choose Lumens:** 

→ 6,000lm (50W)

£ 12,000lm (100W)

- Robust aluminium casing
- 120° beam angle
- Adjustable bracket
- Can operate on power sources between 85V-265V AC 50-60Hz
- Low heat emission = with no cool down required before storage
- Designed for industrial applications
- Toughened glass lens
- 0.5 metre cable
- · High performance heat sink

#### 2 model available:

	EcoStar Pro 50W	EcoStar Pro 100W
31/5	1 head - 6,000 lumens	1 head - 12,000 lumens
Œ	110V or 240V	
MODE	High	
1,1,1	IP65	
CODE	NSESPRO50	NSESPRO100




**Optional** Scaffold bracket SPSCAFFOLDBRACKET



Scan for multi-language information





# FastStar Security lights Slim Design Security Light - Fast and Easy Installation






- Designed for fast and simple installation
- Tough aluminium housing & tempered glass
- Modern slimline compact design
- Perfect for home and security related applications
- Anti-glare cover
- 6000K cool white colour temperature
- No heat
- Supplied with 30cm cable



**PIR Floodlights** 12 metre motion detection • Day and night auto sensor



#### 3 model available:

	FastStar 10W	FastStar 30W	FastStar 50W
31,5	800 lumens	2400 lumens	4000 lumens
	10m beam	20m beam	30m beam
Œ	220V or 240V		
MODE	High		
1,1,1,1	IP65		
<del>上</del>	113.4 x 127.9x52mm	147.6 x 166.3x56.3mm	166.8 x 188 x 56.3mm
	334g 555g 730g		730g
CODE	NSFASTSTAR10 NSFASTSTAR10PIR	NSFASTSTAR30 NSFASTSTAR30PIR	NSFASTSTAR50 NSFASTSTAR50PIR

Supplied with 30cm cable



Adjustable settings:

- Lux
- Time
- Sensor



2 ways to connect to mains AC supply: directly into internal terminal block

With the cable provided, into a suitable rated junction box







31/2	Searchlight: 600 Lumens Work Light: 1200 Lumens
	Up to 700m beam
O	Searchlight: 4.5 to 25hrs runtime Work Light: 8 to 40hrs runtime
MODE	Searchlight: High   Low   Strobe   Dimmable Work Light: High   Low   Red   Red Flashing   Dimmable
	3.7V 8000mAh, 30Wh
*	6hrs charging time
****	IP54
<b>上</b>	213 x 132 x 106mm
_	708g
CODE	NSCOBRA-X

Supplied with Shoulder strap and type C fast charging cable

Optional Accessories: UK or EU adaptor: CH-USB-UK/EU Vehicle Charger: CHIC3.7-LI-ION



Scan for multi-language information



## **SEE AND BE SEEN!**



Red emergency flashing mode











- Spot beam searchlight with work light
- Red light mode for an emergency
- Hands-free operation when using the work light
- Rechargeable lithium battery
- Tough polypropylene construction,
- 2 metre impact resistant housing
- Supplied with comfortable shoulder strap







Power bank to charge your phone



### 2 models available:

	HawkStar	HawkStar-X	
31/2	2500 Lumens	4200 Lumens	
	Up to 400m	Up to 600m beam	
O	3.5 to 7.5hrs runtime	4.5 to 9.45hrs runtime	
MODE	Narrow   Wide   Boost   Dimmable		
	7.4V 6.6Ah, 48.83Wh	7.4V 10.2Ah, 75.48Wh	
*	6.5hrs charging time	8hrs charging time	
****	IP65	IP65	
<del>」</del>	250 x 125 x 120mm	250 x 125 x 120mm	
	1kg	1.1kg	
CODE	NSHAWKSTAR	NSHAWKSTAR-X	

Supplied with charging cradle and vehicle charger

Optional Accessories: Shoulder strap: SPHAWKSTARSTRAP AC Charger: CH-8.4V-1.5A




YouTube

Scan for multi-language information









₩ IP65

- Dual optics wide angle flood or long distance search beam
- Multiple brightness levels and dimmable
- Fits securely in charging cradle Crash tested at 70MPH (112KPH)
- Emergency function automatically illuminate in the event of a power cut
- Rubberised handle for comfortable non-slip grip
- Wall & vehicle mountable charging cradle with quick release function for fast and easy deployment
- Adjustable stand for hands free use as a work light







### 2 models available:

	ProStar	ProStar Lite
31/2	10,000 Lumens	
	Up to 1200m beam	
()	2 to 25hrs runtime	1.5 to 18hrs runtime
MODE	Narrow   Wide   Boost   Dimmable	
	14.8V 10.2Ah, 150.96Wh	14.8V 7.8Ah, 115.44Wh
<b>*</b>	6hrs charging time	
0,0,0,	IP65	
<del>上</del>	280x180x120mm	
_	1.8kg	1.5kg
CODE	NSPROSTAR	NSPROSTAR-LITE

Supplied with AC adaptor, charging cradle and shoulder strap

Optional Accessories: Vehicle charger: CHIC16.82A-LI-ION Folding solar panel charger: SPSOLARPANEL



YouTube

Scan for multi-language information











- Dual optics wide angle flood or long distance search beam
- Multiple brightness levels and dimmable
- Swivel head for directing light where its needed the most
- Rubberised handle for comfortable non-slip grip
- Rubberised bezel for impact protection
- Anti-slip base to give added strength and stability
- Wall and vehicle mountable charging cradle
- Supplied with comfortable shoulder strap





## **Trio-550**

Lightweight, Rechargeable Searchlight with Emergency Light Function





shoulder strap, AC USB mains adaptor









Supplied with a comfortable shoulder strap

Power bank to charge your phone

Supplied with wall mount, fast charging USB type C cable, USB 12V-24V car charger,



Scan for multi-language information

















• Parabolic reflector enables maximum distance-to-lumen ratio

Lightweight design

Rechargeable lithium battery

- Robust polyethylene construction, impact resistant casing
- Unique deep-dish reflector
- Adjustable stand
- Battery charging indicator
- · Supplied with a comfortable shoulder strap

Hands free use when using built in stand

31/2	1800 Lumens
	Up to 1000m beam
(U	3 to 8hrs runtime
MODE	High   Low   Flashing
	7.4V 4.4Ah, 32.56Wh
*	9hrs charging time
****	IP54
上	260 x 150 x 180mm
_	1kg
CODE	NSPANTHERXHP-X Cat No: 0111/108311

Supplied with AC charger, adjustable stand and shoulder strap


#### **Optional Accessories:**

Vehicle charger: CHIC16.82A-LI-ION AC Charger: CH-8.4V-1.5A









# Trigger Pro Long Distance Targeted Beam



31/2	1300 Lumens
	Up to 750m beam
(U	3.25 to 12hrs runtime
MODE	High   Low   Strobe
	3.7V 3600mAh
*	5hrs charging time
1,111	IPX4
<b></b>	173 x 176 x 86mm
<u> </u>	570g
CODE	NSTRIGGER-PRO Cat No: 0111/113529
Supplied with wrist strap, micro USB cable, 12V vehicle charger	

#### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU





Scan for multi-language information

60 www.nightsearcher.co.uk



Searchlight 900
Deep dish Reflector Giving Maximum Distance to Lumen Ration for a Bright Spot Beam



31/2	900 Lumens
	Up to 500m beam
()	1.5 to 5hrs runtime
MODE	High   Low   Flashing
	3.7V 2400mAh, 9Wh, Li-ion
<b>★</b>	7hrs charging time
1,0,0,	IP44
<b>,</b>	123x158x170mm
<u>^</u>	530g
CODE	NSSL900








315	900lm
	500m Beam



IP44

- Two position handle
- Pistol handle
- **Rechargeable lithium battery**
- Adjustable stand
- USB power bank charge on the go!
- Storage for charging cable



Searchlight 1600
Powerful Spot beam and Amber Flashing Emergency Mode



31/2	1600 Lumens
	Up to 1000m beam
(U	3 to 120hrs runtime
MODE	High   Amber flashing
	7.4V 4400mAh, 33Wh, Li-ion
*	6hrs charging time
9,9,9,	IP44
J.	226x165x179mm
<u> </u>	1.03kg
CODE	NSSL1600

Supplied with AC Charger and vehicle charger





charge your phone





**1000m Beam** 



IP44


- Deep-dish reflector giving the maximum distance-to-lumen ratio for a bright spot beam
- Amber flashlight for emergency or signalling purposes
- **Robust polycarbonate construction**
- Rechargeable lithium battery 3-position adjustable handle
- Adjustable stand



Ideal for all Rail, Security, Emergency Services, Scenes of Crime, Search and Rescue Sectors



# **KeyStar**Searchlight Performance For Your Keychain



31/2	300 Lumens
	Up to 110m beam
U	17hrs runtime
MODE	High   Dimmable
	3.7V 600mAh, 3Wh
*	4hrs charging time
****	IPX7
<del>上</del>	67 x 34 x 135mm
<u> </u>	29g
CODE	NSKEYSTAR

Supplied with USB charging cable

Optional Accessories: Vehicle charger: CHIC3.7-L-ION AC adaptor UK/EU: CH-USB-UK/EU





multi-language information



Magnum 11600
Ultra-Powerful, Professional, Rechargeable Flashlight with Wide Angled Beam



31/2	11600 Lumens
	Up to 525m beam
()	3 to 54hrs runtime
MODE	Boost   High   Medium   Low   Eco   Flashing
	7.4V 7800mAh, 58Wh
*	9hrs charging time
****	IP67
上	273 x 95mm ø
<u> </u>	1.235kg
CODE	NSMAGNUM11600

Supplied with mains charger, shoulder strap and carry case

**Optional Accessories:** Mains charger: CH12V-2A Vehicle charger: CHICMAGNUM





## Magnum 1100

Super Bright and Ideal for Searchlight and Lighting up a Precise Target



Comfortable shoulder strap • Battery status indicator

31/2	1100 Lumens
	Up to 1100m beam
O	1.5 to 26hrs runtime
MODE	Boost   High   Medium   Low   Flashing
	7.4V 2600mAh, 20Wh (supplied) or 3 x 1.5V Type C Alkaline batteries
*	6hrs charging time
1,1,1,	IP67
J.	265 x 90mm ø
_	835g
CODE	NSMAGNUM1100

Supplied with mains charger, shoulder strap and carry case.

**Optional Accessories:** 

Mains charger: CH-MAGNUM-1100-UK Vehicle charger: CHICMAGNUM Holster: ACS-D-HOLSTERS





IP67

**IP67** 

Magnum 3000
Rechargeable, Robust and Reliable Flashlight with Wide Angled Beam










IP67

**400 Beam** 

2 to 57hrs

IP68

- · Wide angled beam
- Rechargeable lithium battery
- Knurled body for secure grip 500 Beam
  - Type III hard anodised aluminium housing
- Heavy duty wrist strap 1.5 to 25hrs
  - IP67 Waterproof design
  - **Battery status indicator**



Supplied with wrist strap, Li-ion battery, AC mains charger and carry case

**Optional Accessories:** 

Vehicle charger: CHICMAGNUM Holster: ACS-D-HOLSTERS





Mini Magnum

Compact, High Powered Rechargeable Flashlight with Wide Angled Beam



Knurled body for secure grip

Heavy duty wrist strap

IP68 - Waterproof design Battery status indicator

345	2000 Lumens	
	Up to 400m beam	
(0)	2 to 57hrs runtime	
MODE	Boost   High   Medium   Low   Flashing	
	3.7V 5000mAh, 19Wh	
<b>★</b> •	6hrs charging time	
*,*,*	IP68	
<del>」</del>	158 x 50mm ø	
	320g	
CODE	NSMINI-MAGNUM	

Supplied with USB rechargeable Li-ion battery, charging cable and wrist strap

**Optional Accessories:** Vehicle charger: CHIC3.7-L-ION **Holster: ACS-C-HOLSTERS** 





New Explorer Twister
Twist from Straight Angle to Right Angle, Rechargeable Flashlight



Rechargeable lithium battery Integrated pocket / belt clip

Strong magnetic base

Compact and tough aluminium construction

31/2	400 Lumens
	Up to 90m beam
(U	1 to 3hrs runtime
MODE	High   Low
	3.7V 750mAh, 3Wh
*	4hrs charging time
****	IPX4   IK07
<b>j</b>	120 x 21mm ø
_	86g
CODE	NSEXPLORERTWISTER





Supplied with magnetic fast charging USB type C cable

**Optional Accessories:** 

Vehicle charger: CHIC3.7-L-ION UK or EU adaptor: CH-USB-UK/EU



# New Explorer CX1000 | Explorer Mini Compact, High Powered Rechargeable Flashlight



	Explorer CX1000	Explorer Mini
31,5	1000 Lumens	400 Lumens
	Up to 250m beam	Up to 125m beam
(U	4 to 18hrs runtime	1.5 to 14hrs runtime
MODE	High   Medium   Low	High   Medium   Low Flashing
	3.7V 2600mAh 18650, 7Wh	3.7V 750mAh, 3Wh
<b>*</b>	6hrs charging time	2hrs charging time
****	IP67	IP67
<u></u>	133 x 30mm ø	119 x 25mm ø
_	149g	85g
CODE	NSEXPLORER-CX1000	NSEXPLORERMINI

Supplied with USB charging cable and wrist strap

**Optional Accessories:** 

Vehicle charger: CHIC3.7-L-ION UK or EU adaptor: CH-USB-UK/EU





1 to 3hrs

IPX4

# Upgraded Explorer 1200 Ultra-Lightweight, Professional Flashlight with a Compact Design



IPX7

1 to 12hrs

IP65

 2 hidden light modes: Stobe / SOS Tail cap switch - designed for tactical use

31/2	1200	
	Up to 650m beam	
(U	2.5 to 63hrs runtime	
MODE	High   Medium   Low   Eco   Flashing   SOS	
	3.7V 2600mAh, 9.62Wh	
<b>*</b>	6hrs charging time	
9,9,9,	IPX7	
<b>1</b>	165 x 35mm ø	
	211g	
CODE	NSEXPLORER1200 USB	
Supplied with Type C USB charging cable Optional Accessories:		

Vehicle charger: CHIC3.7-L-ION UK or EU adaptor: CH-USB-UK/EU

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



# Upgraded Explorer XPL-C Heavy Duty, Rechargeable LED Flashlight with USB-C Port and Charging Cradle



will illuminate automatically

Rechargeable lithium battery Knurled body for secure grip

· Tail cap tactical switch

Type III hard anodised aluminium housing

31/2	1100 Lumens	
	Up to 600m beam	
(U	1 to 12hrs runtime	
MODE	High   Medium   Low   Flashing   SOS	
	3.7V 2600mAh, 10Wh	
*	6hrs charging time	
*,*,*,	IP65	
<del>上</del>	Flashlight: 193 x 44mm ø	
<u>^</u>	280g	
CODE	NSEXPLORER-XPL-C	
Cupplied with Li ion bettern, charming gradie		

YouTube



Supplied with Li-ion battery, charging cradle, red cones and Type C USB charging cable

#### **Optional Accessories:**

Yellow cone: SPEXP-XML-CY **Holster: SP-HOLSTER** 

UK or EU adaptor: CH-USB-UK/EU



## **Spot to Flood - Zoom Flashlight Range**



Zoom **Focus Beam:** 

**Long Distance Spot Beam** Wide Flood Beam







## **New Zoom 600R**

Rechargeable Spot to Flood Zoom Flashlight with Wall / Vehicle Mount Charging Base



31/2	600 Lumens	
	Up to 250m beam	
()	1.5 to 15hrs runtime	
MODE	High   Low   Medium	
	3.7V 2600mAh, 10Wh	
*	4hrs charging time	
*,*,*,	IPX4   IKO7	
<b></b>	135 x 31mm ø	
<u> </u>	200g	
CODE	NSEXPLORER-600R	





Supplied with fast charging USB Type C cable and charging base


**Optional Accessories:** 

Vehicle charger: CHIC3.7-L-ION Holster: SP-MEGAZOOM-HOLSTER UK or EU adaptor: CH-USB-UK/EU












- Rechargeable lithium battery
- Integrated pocket / belt clip
- Ideal for illuminating precise target
- Type III hard anodised aluminium housing Knurled body for secure grip
- Tail cap switch designed for tactical use

🔼 YouTube

## **Zoom 500**

4AA Battery Powered Tactical LED Flashlight with Spot-to-Flood Zoom



Rechargeable lithium battery

Knurled body for secure grip

. Type III hard anodised aluminium housing

Tail cap switch - designed for tactical use

285 Beam

1 to 45hrs

IP66

500 Lumens Up to 285m beam  $\overline{Q}$ 1 to 45hrs runtime MODE Boost | High | Medium | Low | Flashing 4 x AA Alkaline battery IP66 1,0,0, <del></del>
上 141 x 29mm ø 169g NSEXZOOM500 CODE Supplied with 4 x AA Alkaline battery and wrist strap

**Optional Accessories:** 

Red cone: SPEXP-XML-CR Yellow cone: SPEXP-XML-CY


Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



Upgraded Zoom 1000R Rechargeable Tactical LED Flashlight with Spot-to-Flood Zoom

(1)

MODE



•	Fully	adiustable	spot-to-flood	beam
		,		

- Ultra lightweight design
- Rechargeable lithium battery
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- · Tail cap switch designed for tactical use

**IP66** 

1000lm

500 Beam

4 to 50hrs





YouTube



1000 Lumens

3.7V 2600mAh Li-ion

**\*** 4hrs charging time IP66 <del>,,,,</del>

辶 141 x 29mm 169g

NSEXZOOM1000R CODE

Supplied with wrist strap and Type C cable charging cable

**Optional Accessories:** 


Yellow cone: SPEXP-XML-CY AC adaptor UK/EU: CH-USB-UK/EU

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER

Vehicle charger: CHIC3.7-LION UK or EU adaptor: CH-USB-UK/EU

## **UV395**

Lightweight, Battery-Powered UV Flashlight Designed for Detecting Counterfeit Money and Documents



Integrated pocket / belt clip

Knurled body for secure grip

Ideal for illuminating precise target

Type III hard anodised aluminium housing

· Tail cap switch - designed for tactical use

3.5hrs


**IP66** 

31/2	395nm Wave length	
()	3.5hrs runtime	
MODE	High	
	2 x CR123A batteries (not supplied)	
0,0,0,	IP66	
<b>并</b>	132 x 33.5mm ø	
<u> </u>	113g	
CODE	NSUVLED395 CAT/PAD:0111/1123331	



**Optional Accessories:** 

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



# UV365

Heavy-duty UV Flashlight Designed for Detecting Counterfeit Money and Documents



• Type III hard anodised aluminium housing

• Tail cap switch - designed for tactical use

Knurled body for secure grip

31,5	365nm Wave length, 1,030,000uW	
	Up to 30m	
()	3hrs runtime	
MODE	High	
	2 x 18650 Li-ion batteries (Not Supplied)	
*	4hrs charging time	
1,1,1,1	IP65	
<del>上</del>	153 x 40mm ø	
_	185g	
CODE	NSUVLED365	


**Optional Accessories:** 

Holster: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



3hrs

IP65







Supplied with USB charger, charging cable, Li-ion rechargeable battery and UV protective glasses

Optional Accessories: Holster: ACS-C-HOLSTERS



## New UV365-2AA

High Powered UV Flashlight Specifically Designed for Forensic Applications and Crime Investigation



31/2	365nm Wave length, 980,000uW	
	Up to 100m	
(U)	2hrs runtime	
MODE	High	
	1 x AA Alkaline batteries	
<b>*</b>	132x33.5mm ø	
<b>1</b>	29 x 24.5 x1 52mm	
	118g	
CODE	NSUV365-2AA	



Supplied with 1 x AA Alkaline battery

**Optional Accessories:** 

Holster: SP-MEGAZOOM-HOLSTER



2hrs

100m Beam

Compact size

Powered by 1 x AA Alkaline batteries

Type III hard anodised aluminium housing

Integrated pocket / belt clip

Ideal for illuminating precise target

Type III hard anodised aluminium housing

Knurled body for secure grip

· Tail cap switch - designed for tactical use



## **Spot to Flood - Zoom Head Torch Range**



## **Zoom Focus Beam**

Long Distance Spot Beam To Wide Flood Beam





# **New Zoom 700 + 700R**

Adjustable Spot to Flood Zoom Head Torch



#### Two models available:

Zoom 700 Supplied with 3 x AAA Alkaline batteries

**Zoom 700R** 

Supplied with a removable Lithium battery pack



OF



>1 € 700lm

1P64

Wide flood beam + long distance Spot beam

 Hybrid power supply - rechargeable lithium battery and disposable batteries

- Compact and lightweight design
- Warm white diffused beam for close up work
- 90° beam angle adjustment
- Adjustable non-slip head straps

	Zoom 700	Zoom 700R
31/2	700 Lumens	
	Up to 200m beam	
(U	1.5 to 25hrs runtime	
MODE	High   Medium   Low   Warm White	
	3 x AAA Alkaline batteries	3.7V 2600mAh, 10Wh Li-ion
<b>★</b> •	4.5hrs charging time	-
*,*,*,	IP64   IK08	
<del>】</del>	65 x 45 x 45mm	
_	95g	
CODE	NSHTZOOM700	NSHTZOOM700R

Supplied with USB Charging cable and lithium battery (Zoom 700R) 3 x AAA batteries (Zoom 700)

### Optional Accessories:

Spare battery: BA3.7X800MAH


Helmet clips: SPPCLIPS,

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION











200m Beam

1.5 to 25hrs

# **New Zoom 780EXR**

Adjustable Spot to Flood Zoom Head Torch with 10.5 Hours Runtime (High mode)



IP66

315	780 Lumens
	Up to 200m beam
()	10.5 to 82hrs runtime
MODE	High   Medium   Low Rear White   Rear White Flashing
	2 x 3.7V 18650 6400mAh Li-ion or 4 x AA Alkaline battery
****	IP66
<del>上</del>	81 x 59 x 47mm
<u>^</u>	351g
CODE	NSHTZOOM780EXR

Supplied with USB charging cable and lithium battery

#### **Optional Accessories:**

Helmet clips: SPPCLIPS

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION

### **Hybrid Head Torch**

Can be used with the (supplied) Lithium battery pack or 4 x AA Alkaline batteries







1100 Lumens



# **Zoom 1100RX**

Rechargeable Spot to Flood Zoom Head Torch with Red Rear Warning Lights



- Wide Flood beam + Long distance Spot beam
- Multiple light modes Rear red warning lights
- **Charging indicator**

300m Beam

2.5 to 42hrs

**IP66** 

- Adjustable non slip head straps
- Removable battery pack with charging indicator 90° Beam Angle Adjustment

Up to 300m beam **(J)** 2.5 to 42hrs runtime MODE Boost | High | Medium | Low | Flashing Rear Red + Flashing 3.8V 2850mAh, 109Wh or 4 x AA Alkaline batteries **≠** 3.5hrs charging time **....** IP66 | IK08 Ļ 61 x 70 x 63m 292a NSHTZOOM1100RX

Supplied with USB Charging cable and lithium battery

#### **Optional Accessories:**

**Helmet clips: SPPCLIPS** 

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



### **Hybrid Head Torch**

Can be used with the (supplied) Lithium battery pack or 4 x AA Alkaline batteries









**LightWave 520R**Rechargeable, Spot and Flood beam with On/Off Wave Sensor



31/2	520 Lumens	
	Up to 140m beam	
()	2.5 to 5hrs runtime	
MODE	Spot + Flood   Flood   Spot	
	3.7V 1800mAh, 7Wh	
*	3hrs charging time	
****	IP44   IK08	
Ţ.	65 x 40 x 47mm	
<u> </u>	96g	
CODE	NSHTLIGHTWAVE520	

Supplied with Fast charging USB type C charging cable **Optional Accessories:** Helmet clips: SPPCLIPS, AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







Scan for multi-language information




### 2 Ways to turn ON+OFF:

Manual switch or Wave.



Ideal when hands are dirty, wearing gloves, fishing or climbing



# HT800 and HT800RX

Distance Sensor Automatically Adjusts from Spot to Flood beam



HT800RX

**Rechargeable Head Torches** 

Rear white lights **Battery charging and status Indicator** Charge directly in head torch

HT800



Rear warning lights

୬⁴⁄⊵ 850lm





IP66

- Distance sensor
- 180° beam angle adjustment
- **Light mode memory**
- Adjustable non-slip head straps
- Safety Lock: Prevents accidental power loss during storage or transportation
- Diffused side lights for low level lighting
- · Optional helmet clip available

	Rechargeable	Non-rechargeable
31/2	800 Lumens	850 Lumens
Ĭ	Up to 550m beam	Up to 550m beam
O	2.5 to 169hrs runtime	2.5 to 50hrs runtime
MODE	Spot + Flood, Flood (Low or High) Spot (Low or High)	Spot + Flood, Flood (Low or High) Spot (Low or High)
	3.7V 2600mAh, 9.62Wh	4 x AA Alkaline battery
<b>★</b> •	5hrs charging time	-
1,1,1,	IP66	IP66
<b>上</b>	46 x 85 x 39mm	46 x 85 x 39mm
<u> </u>	230g	219g
CODE	NSHT800RX Cat No: 0111/120695	NSHT800

**Supplied with** 

HT880RX: USB Charging cable and Lithium battery

HT800: 4 x AA Alakline Batteries


**Optional Accessories:** 

Spare battery: BA18650-USB Helmet clips: SPPCLIPS

AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION







### **Distance Sensor:**

**Automatic spot to** flood sensor









### A brand by NightSearcher

The ATEX certification mark on our SafATEX range of portable and fixed lighting signifies that our equipment has been rigorously tested and is completely safe for use in potentially explosive atmospheres for which they are certificated. Oil, Gas, Petrochemical, Aviation, Marine, Utility sectors and the Emergency Services are all markets sectors where our ATEX products can be used.

Employee safety is crucial for everyone working within these hostile and hazardous environments. Each product within the SafATEX range has been carefully thought out and designed to promote worker safety as well as ease of use. The portable products are designed to be used whilst wearing PPE, such as fire fighter gloves.



YouTube
Scan to see the range in Action

Create a safe, compliant workspace with our selection of portable lighting and fixed light fittings.

## Designed for oil & gas, petrochemical, aviation, marine, mining and utility applications


### **Intrinsically Safe Explained**

Hazardous Area Classification Zone 0, Zone 1, Zone 2
This diagram shows how hazardous area zones may occur in typical circumstances



Gas Zones 0 + 1 + 2

Flammable gases, vapour or liquids



Hazardous Area Classification Zone 20, Zone 21, Zone 22
This diagram shows how hazardous area zones may occur in typical circumstances



**Dust Zones Zone 20 + 21 + 22** 

Combustible dusts



The SafAtex portable lights are trusted by a wide variety of commercial and industrial users, as well as emergency services all over the world.

ATEX Marking



CE and UKCA mark denotes manufacturers declaration of product compliance to all relevant EU Directives



Specific mark for Explosion Protection



Equipment Group (Mining)



Equipment Category (Mining)



Not For Use In Mines



Atex Category 1 (Old Zone 0)



Tested for Gases, Vapour and Dust Atmospheres

ATEX Ex Marking For Explosive Dust Atmospheres



Explosion Protected Equipment



Intrinsic Safe 'i'



Dust Group T130°C

Temperature Classification



Equipment Protection Level



Ingress Protection Level Marking

ATEX Ex Marking For Explosive Gas Atmospheres



Explosion Protected Equipment



Safe 'i'



Gas Group



Equipment Protection Level



Gas Group



Temperature Classification



Equipment Protection Level

# SAFATEX Sigma SL 1000 Zone 1 and 21, Rechargeable Searchlight with a Long Spot Beam



345	890 Lumens	
	Up to 830m beam	
()	8 to 20hrs runtime	
MODE	High   Low   Flashing	
	22.2 V   2600mAh 6 x 18650 batteries	
*	8hrs charging time	
*14.4	IP68	
<b>九</b>	140 x 67mm Ø	
4	872g	
CODE SA-SIGMA-RSL1000		
Supplied with AC charger and shoulder strap		

ATEX Zone 1 & 21 and 2 & 22 😥 II 2 G Ex db ib IIC T6 Gb

€ II 2 D Ex ib tb IIIC T80°C Db IP68 -20°C <Ta> +55°C ATEX Cert No. TUV 19 ATEX 8442 X IECEX Cert No. IECEx TUR 19.0062X



CERTIFICATION:









IP68

- Robust aluminum housing with a neoprene rubberised cover for additional protection
- Digital battery status indicator with real-time display
- Rechargeable lithium battery
- Ergonomic handle for easy light mode operation
- Compact size for ease of use in confined spaces and transportation



# SAFATEX Sigma RSL370 Zone 0, Rechargeable Searchlight, with Charging Cradle



315	370 Lumens	
	Up to 400m beam	
(U	4 to 30hrs runtime	
MODE	High   Medium   Low	
	3.7V 1960mAh, Li-ion	
*	6.5hrs charging time	
25.55	IP64	
<b>,</b>	256 x 136.2 x 170.4mm	
<u> </u>	Searchlight: 650g with cradle: 980g	
CODE	SA-SIGMA-RSL	

Supplied with shoulder strap and wall charging adlecr

CLASS I DIV 1&2 GRP ABCD, CLASS III TEMP CODE: T4 IP64 FILE NUMBER: 261379 ATEX Zone O Gas: 😉 II 1G Ex ia op is IIC T4 Ga Mining: 🖾 I M1 Ex ia op is I Ma SIRA 17 ATEX 2195X GAS: Ex ia op is IIC T4, Ga (Zone 0) MINING: Ex ia Ma | IECEX SIR 17.0042X



**CERTIFICATION:** 

( (

RoHS REACH



- Powerful beam from parabolic reflector
- Tough polycarbonate, ABS construction ideal for heavy industrial use
- Wall mountable charging cradle Lightweight design
- 4 to 30hrs
- Rechargeable lithium battery
- · Large switch can be easily operated when IP64 wearing gloves
  - · Battery charging indicator



# SAFATEX Sigma MINI Zone O Head Torch, with Easy Twist On/Off Bezel Switch



140 Lumens Up to 86m beam (1) 6hrs runtime MODE High 3 x AAA batteries (not included) IP67 500 L 70 x 60mm Ø 110g CODE **SA-SIGMA-HTMINI** 

**CERTIFICATION:** Rous REACH

**Optional Accessories:** Helmet clips: SPPCLIPS

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III / TEMP CODE: T4 IP67 | FILE NUMBER: E324236

😥 I M1 Ex ia I Ma | 😉 II 1G Ex ia IIC T4 Ga **DEMKO 15 ATEX 1546X** 

Gas: Ex ia IIC T4 Ga | Mine: Ex ia I Ma | IECEx UL 15.0086X



**140lm** 





IP67

Rotary on/off switch

- Strong ABS housing with durable rubber coating
- · Fully adjustable silicone lined headband
- Submersible up to 1 metre for 30 mins
- · Safety locking battery compartment
- · 90° rotational switch





SAFATEX Sigma PRO
Zone O Head Torch, with Large Switch and Powerful 100m Beam



220 Lumens Up to 100m beam (1) 5 to 12hrs runtime MODE High | Low 3 x AAA batteries (not included) IP67 000 上 80 x 50 x 45mm 143g CODE **SA-SIGMA-HTPRO** 

**CERTIFICATION:** 







**Optional Accessories:** Helmet clips: SPPCLIPS

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EF CLASS III TEMP CODE: T4 IP67 | FILE NUMBER: E324236

ATEX Zone 0 | Gas: 😥 II 1G Ex ia IIC T4 IP67 **DEMKO 14 ATEX 1354X** 


Gas: Ex ia IIC T4 Ga IP67 | IECEx UL 14.0059X



220lm

≥ 100m Beam

5 to 12hrs



Strong ABS housing with durable rubber coating

Fully adjustable silicone lined headband

Submersible up to 1 metre for 30 mins

· Safety locking battery compartment




90° rotational head



SAFATEX Sigma RFL
Zone 1 and 21 Rechargeable Dual Ended Flashlight, with Spot or Flood Beam





GAS ZONE 1

**DUST ZONE 21** 










220m Beam





- · Compact and lightweight
- High strength aluminium housing
- Easy operation with gloved hands
- Rechargeable lithium battery
- Suitable for heavy industrial use
- · Dual ended front spot light and rear flood light
- Battery charging indicator



Supplied with wrist strap

ATEX Zone 1 & 21 and 2 & 22 😉 II 2 G Ex ib IIC T4 Gb € II 2 D Ex ib IIIC T130°C IP68 ATEX Certificate NO: TÜV 15 ATEX 7713X



Scan for multi-language information

**CERTIFICATION:** 

RoHS REACH







**CERTIFICATION:** 

Rous REACH

# SAFATEX Sigma ZOOM Zone 0, with Adjustable Spot to Flood Beam




83-235 lumens Spot: Up to 116m beam Flood: Up to 26m beam ( 11 to 36hrs runtime MODE Spot: High | Low Flood: High | Low | Flashing 4 x AA batteries (not included) IP67 777 辶 184 x 52mm Ø 250g CODE SA-SIGMA-ZOOM

Supplied with wrist strap

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III / TEMP CODE: T4 IP67 | FILE NUMBER: E324236

ATEX ZONE 0 GAS: 😥 II 1G Ex ia IIC T4 Ga MINE: 😉 I M1 Ex ia I Ma | DEMKO 15 ATEX 1476X GAS: EX ia IIC T4 GA | MINE: Ex ia I Ma | IECEX UL 15.0046X





Sliding beam mode











IP67

and close up work · Rotate sliding switch between light modes · Tough polycarbonate housing, rubberised

flood beam making it ideal for both distance

· Adjustable beam - twist head for spot to

- head and grip for durability Suitable for heavy industrial use
- · Easy operation with gloved hand

SAFATEX Sigma RA
Zone O Right Angled Torch, Used by Fire Fighters Wearing Breathing Apparatus



• 90° beam allowing chest mounting

· Focus designed to penetrate through smoke

Large switch is easy to operate even when

Rubberised head and grips for durability

for hands free operation

· Tough polycarbonate housing

· Easily cleaned after use

wearing gloves

325 | 140 Lumens Up to 290m beam ( 6.5 to 13hrs MODE High | Low 4 x AA batteries (not included) 000 ID54 183 x 69 x 63mm 250a CODE SA-SIGMA-RA

Supplied with AC charger and wrist strap

**CERTIFICATION:** 







CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III TEMP CODE: T4 IP54 | FILE NUMBER: 261379

ATEX Zone O Gas: 😥 II 1G Ex ia IIC T4 Ga MINING: 😥 I M1 Ex ia I Ma | Sira 15ATEX2166X GAS: Ex ia IIC T4 Ga | MINING: Ex ia Ma IECEx SIR 15.0062X





# SAFATEX Sigma 4AA Zone 0 Compact Flashlight, with Sliding Mode Switch



185 Lumens Up to 117m beam (1) 8 to 30hrs MODE High | Low | Flashing 4 x AA batteries (not included) ID68 500 辶 172 x 47mm Ø 140g CODE SA-SIGMA-4AA

**CERTIFICATION:** 







Supplied with wrist strap

**Optional Accessories:** Helmet clips

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III TEMP CODE: T4 | FILE NO: E324236



185lm

→1 25lm

P54

≥ 290 Beam

6.5 to 13hrs







- Flashing mode ideal for signalling
- **IP68 Rated**
- Rubberised head for extra durability

GAS ZONE O

- **Tough polycarbonate housing**
- · Impact resistant, drop proof up to 1m
- · Easy operation with gloved hand
- · Can be mounted on a helmet



SAFATEX Sigma PL
Zone O Pocket Sized Light, with a Long 20.5 hours Runtime



31/2	67 Lumens
	Up to 41m beam
O	20.5hrs runtime
MODE	High
	2 x AA batteries (not included)
1,0,14	IP67
上	142 x 30 x 26mm
	41g
CODE	SA-SIGMA-PL

**CERTIFICATION:** 









Supplied with wrist strap

CLASS I DIV 1&2 GRP ABCD | CLASS II DIV 1&2 GRP EFG CLASS III Temp Code T5 IP67 File number: E324236

ATEX Zone O Gas: 😥 II 1G Ex ia IIC T5 Ga Mine: E I M1 Ex ia I Ma | DEMKO 16 ATEX 1661X Gas: Ex ia IIC T5 Ga Mine: Ex ia I Ma | IECEx UL 16.0015X















GAS ZONE O

- · Rubberised head for extra durability
- · Tough polycarbonate housing for heavy industrial use
- Easy ON/OFF tail switch, when wearing gloves

MINING APPROVED

- IP67 Submersible up to 1 metre for 30 mins
- · Tail cap switch





# SAFATEX Sigma 3C Zone O Large Capacity Battery, with 80 Hours Runtime



315	150 Lumens
	Up to 248m beam
()	42.5 to 80hrs runtime
MODE	High   Low
	3xC Cell batteries (not included)
0,0,0	IP67
ļ.	225 x 60 x 85mm
<u> </u>	190g
CODE	SA-SIGMA-3C

**CERTIFICATION:** 









**Optional Accessories:** Helmet bracket

CLASS I DIV 1 & 2 GRP ABCD | CLASS II DIV 1 & 2 GRP EFG CLASS III TEMP CODE: T4 | FILE NO: E61379

Gas: Ex ia IIC T4 Ga | IECEx UL 13.0008X













· Long run time up to 80 hours


Rubberised head for extra durability


Tough polycarbonate housing for heavy

Easy ON/OFF tail switch, when wearing gloves

• IP67 Submersible up to 1 metre for 30 mins

SAFATEX Titan R and RX
Zone 1 and 21 Rechargeable Portable Floodlight, with Magnetic Feet or Metal Stand





**Choose:** 

1400lm (10W)

2100lm (15W)

**Choose:** 

**Stainless Steel Stand** 

**Magnetic Base** 

- High strength aluminium housing
- Rechargeable lithium battery
- Tiltable light head
- Up to 10 hours runtime (R model)
- **Carry handle**
- Compact, ideal for confined spaces
- Temperature class T4 and T6

GAS ZONE 1

**DUST ZONE 21** 





4 models available:

	Titan R Stainless Steel Stand	Titan R Magnetic Base	Titan RX Stainless Steel Stand	Titan RX Magnetic Base
31/5	1400 Lume	ns, 10W	2100 Lumens, 15W	
	Up to 20m	n beam	Up to 30m beam	
(0)	10hrs rui	ntime	6hrs runtime	
MODE	High	1	High	
	6.6Ah, Li-ion		6.6Ah, Li-ion	
+	3 to 5hrs charging time		3 to 5hrs charging time	
****	IP66		IP6	6
ļ.	209 x 236 x 303mm	46 x 85 x 39mm	209 x2 36 x 303mm	46 x 85 x 39mm
<u> </u>	5.2kg	6.5kg	5.2kg	6.5kg
CODE	SA-TITAN-R-STAND	SA-TITAN-R-MAG	SA-TITAN-RX-STAND	SA-TITAN-RX-MAG

**Optional Accessories:** 

3.5m stainless steel tripod: SPTRIODSS

**CERTIFICATION:** 







ATEX Zone 1 & 21 and 2 & 22

II 2 G Ex db op is IIC T\* Gb II 2 G Ex tb op is IIIC T\* Db FILE NUMBER: EPT 18 ATEX 2977 X

Gas: Ex d IIC T6 T4 Gb Ex the IIIC T80°C T130°C Db IP66 IECEX CQM 15.0039X



multi-language information





### Choose:

17310lm (one light head)

34136lm (two light heads)

69120lm (four light heads)

- High strength aluminium housing
- Adjustable bracket
- Low THD around 10%, for less interference
- **6KD Surge protection**
- Shock and vibration resistant tempered glass
- Can be ceiling, wall or scaffold mounted

GAS ZONE 1







#### 3 models available:

	One Head	Two heads	Four heads	
31/2	17310 Lumens	<b>34136 Lumens</b>	69120 Lumens	
MODE	100-277V AC			
Œ	High			
WATT	120W	240W	480W	
<del>上</del>		IP66		
	332 x 212 x 142mm	332 x 426 x 142mm	671 x 426 x 142mm	
CODE	8.3kg	13kg	27kg	
CODE	SA-TITAN-1H	SA-TITAN-2H	SA-TITAN-4H	

Optional Accessories: Stanchion bracket or Pole mount bracket



**CERTIFICATION:** 











Scan for multi-language information







# NEW SAFATEX Titan AC + 24V Pendant Zone 1 and 21, Ideal for Wet Locations and Hose Down Environments



#### 2 models available

	Titan Pendant	Titan 24V Pendant	CERTIFICATION:
31.5	5820	Lumens	
	80°	beam	\CX∕
MODE	ŀ	ATEX	
Œ	100-277V AC	24V	$C \in$
1,1,1,	IP66		
<del>上</del>	220 x 220mm		RoHS
	10.4kg		IFC Ritte
CODE	SA-TITAN-PENDANT	SA-TITAN-PENDANT24	100

FILE NUMBER: EPT 18 ATEX 2977 X

Gas: Ex d IIC T6 T4 Gb | Ex tb IIIC T80°C T130°C Db IP66 | IECEx CQM 15.0039X

### Special order only:







Stanchion Bracket






Scan for multi-language information

# SAFATEX Titan 17000 Zone 2 and 22 Powerful AC Fixed Light Fittings



• Temperature class T5 and T6



**CERTIFICATION:** 







ATEX Zone 2 & 22 🗴 3 G Ex nR IIC T5 or T6 Gc

**€** 3 D Ex tc IIIC T95°C or T85°Dc FILE NUMBER: TÜV 15 ATEX 7672X

Optional Accessories: Special order only:



Stanchion Bracket



Pole mount **Bracket** 





Scan for multi-language information

SAFATEX Titan Linear
Zone 1 and 21, Ideal for Illuminating Walk Ways and Long Large Areas



31/2	7380 Lumens 60W
MODE	High
Œ	110-277V 50/60Hz
1,1,1,	IP66
<del>上</del>	1285 x 126 x 88mm
<u> </u>	7.5kg
CODE	SA-TITAN-LINEAR

Supplied with 0.6m cable

### **CERTIFICATION:**









ATEX Zone 1 & 21 and 2 & 22 🔃 II 2 G Ex emb IIC T6 Gb II 2 D Ex tb IIIC T80°C Db IP66 LCIE 20 ATEX 3006 X

Ex eb mb IIC T5 T6 Gb | Ex tb IIIC T80°C Db | IECEx LCIE 20.0018X



multi-language information







# **New Pulsar NavStar**

Set of 10 Sequential, Rechargeable, Fast-Deployment Hazard Warning Lights



Conforms to schedule 13, Part 10: Traffic signs regulations and general directions 2016 (TSRGD)







- Automatic switch on and sequencing
- Fast and safe deployment hazard warning light set
- Rechargeable lithium battery
- Housed in a high-impact, shock resistant and reversible charging case
- 360° illumination zone with 6 flash modes, 4 colour modes
- Simple two-button operation
- Vertical beam for helicopter and drone operations





Pulsar Pro Range
Designed for Traffic Control, Signalling, Hazard Awareness, Zone Demarcations





**Choose:** 

**Single Pulsar Pro** 

**Set of 5 Pulsar Pro** 

**Set of 5 Sequential Pulsar Pro** 

1km beam



- IP67
- 360° Illumination
- **Rechargeable Lithium battery**
- Alert oncoming traffic of any hazard
- Central white work light
- **Magnetic mounting**
- High impact resistance and crush proof up to 3 Tonnes
- Supplied in robust charging case

#### 3 models available:

	Single Pulsar Pro	Set of 5 Pulsar Pro	Set of 5 Sequential Pulsar Pro		
	Up to 1km beam				
()	8 to 60hrs runtime				
	3.7V 700mAh, 3Wh, Li-ion				
*	10hrs charging time				
****	IP67				
<del>上</del>	24 x 100mm ø	Case: 380 x 70 x 370mm	Case: 380 x 70 x 370mm		
	200g	2.9kg	2.9kg		
CODE	NSPULSARPRO-R/B/Y/G	NSPULSARPRO5-R/B/Y/G	NSPULSARPROSQ-R/B/Y		

Supplied with

Single: Charging base, charging cable, car charger

Set of 5: Charging carry case, mains charger and car charger

	1
Light Mode	Runtime
Rotate	9hrs
Quad Flash	9hrs
Single Blink	60hrs
Alternative Blinks	9hrs
SOS Rescue	14hrs
Steady on High	5hrs
Steady on Low	35hrs
2 LED Lights	28hrs
4 LED Lights	18hrs
White Torch mode	8hrs
Sequential mode	15hrs

COLOUR	MCD
Blue	6,000
Green	11,000
Red	7,000
Yellow	7,500


**Optional Accessories:** Magnetic Cone mount: SPPULSARMAG





YouTube Scan for multi-language information









# **Sequential Pulsar Max**

Rechargeable Hazard Lights Ideal for use on High-Speed Roads



Up to 1km beam

72+ hours runtime

Sequential

3.7V 3000mAh, 12Wh, Li-ion

7hrs charging time

IP68

1 380 x 370 x 65mm

2.65kg

CODE

NSPULSARMAXSQ-B





Supplied with charging case, mains charger + vehicle charger

**Optional Accessories:** 

UK or EU Adaptor: CH-USB-UK/EU
Magnetic Cone mount: SPPULSARMAG

CONFORMS TO SCHEDULE 13, PART 10: Traffic signs regulations and general directions 2016 (TSRGD)







- 360° Illumination
- Rechargeable Lithium battery
- Alert oncoming traffic of any emergency
- Float in water
- Magnetic mounting
- Crush proof up to 3 Tonnes



# **Single Pulsar AAA**

3 x AAA Multi Mode Hazard Warning Lights



- (l) 240hrs
- € IP67
- · Alert oncoming traffic of any hazard
- Float in water
- Magnetic mounting
- Crush proof up to 3 Tonnes

	Up to 1km beam
()	240hrs runtime
	3 x AAA Alkaline batteries
****	IP67
<del>」</del>	340 x 110mm ø
<u>^</u>	170g
CODE	NSPULSARAAA-B/G/Y



Light Mode	Runtime
Rotate	52hrs
Quad Flash	120hrs
Single Blink	240hrs
Alternative Blinks	18hrs
SOS Rescue	22hrs
Steady on High	10hrs
Steady on Low	25hrs
2 LED Lights	52hrs
4 LED Lights	25hrs
White Torch Mode	60hrs

COLOUR	MCD
Blue	6,000
Green	11,000
Red	7,000
Yellow	7,500







3 to 9hrs

IP65

31/2	2000 Lumens
	Up to 15m beam
()	3 to 9hrs runtime
MODE	Work light: High   Medium   Low Removable lights: Flashing   High
	Work light: 3.7V 5000mAh, 19Wh, Li-ion
*	5hrs charging time
****	IP65
<del>」</del>	255 x 90 x 34mm
<u> </u>	956kg
CODE	NSHAZSTAR

Supplied with USB charging cable









Scan for multi-language information








## **LifeGuard** 5-In-1 Light Will Save Your Life! Every Vehicle Should Have One!









Supplied with 3 x AAA Alkaline batteries
Optional Accessories:
Holder, Velcro pocket clip



## **StarBooster**

5 in 1 Emergency Starter Car Kit



31/2	500 Lumens
()	4 to 75hrs runtime
MODE	Work light   Torch   Emergency Light
	11.1V 3 x 2600mAh, 29Wh, Li-ion
<b>*</b>	4hrs charging time
<del>上</del>	166 x 96 x 31.5mm
	447g
CODE	NSSTARBOOSTER





Supplied with insulated jump cables, USB cable and AC mains charger






>1 € 500lm

( 4 to 75hrs



- Work light + inspection torch
- Portable jump starter
- Reverse polarity protection
- Red flashing emergency lights
- Fits in your pocket or glove box
- Magnetic handle
- Battery status indicators

# New iSpector UBL Under-Bonnet Cordless Rechargeable Light













- Dual 180° ratcheting handles and 360° twist function to direct light exactly where you need it
- Dual hanging hooks and strong magnetic bases for hands free use
- Rechargeable and cordless via USB C charging cable
- **Tough ABS construction**
- Virtually unbreakable polycarbonate lens
- White light with 5000K colour temperature
- Battery status indicators


345	80 - 1200 Lumens
	Up to 10m beam
(U	2 to 15hrs
MODE	Dimmable
	3.7V 4000mAh, 15Wh, Li-ion
*	4.5hrs charging time
****	IP44   IK07
<del>上</del>	520x41x47mm
<u> </u>	480g
CODE	NSI-SPECTORUBL

Supplied with type C USB charging cable

**Optional Accessories:** 








# **Pocket Pro**

Rechargeable Pocket Sized Work Light and Torch



31/2	600 Lumens
Ĭ	Up to 30m beam
()	2.5 to 6hrs runtime
MODE	Work light: High   Torch: High + Low
	3.7V 1400mAh, 6Wh, Li-ion
*	2.5hrs charging time
<b>上</b>	61 x 35 x 118mm
_	126g
CODE	NSPOCKETPRO



YouTube

Supplied with type C USB charging cable

#### **Optional Accessories:**

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



# iSpector Pocket Rechargeable Pocket Sized Light



31/2	350 Lumens
()	1.5 to 5.5hrs runtime
MODE	Work light: High + Low   Torch: High
	3.7V 1100mAh, 4Wh, Li-ion
<b>*</b>	3hrs charging time
<b>〕</b>	Case: 190 x 25 x 35mm
<u> </u>	104g
CODE	NSI-SPECTORPOCKET



YouTube

Supplied with type C USB charging cable

#### **Optional Accessories:**





- (1) 1.5 to 5.5hrs
- Work light and inspection torch
- Magnetic Pocket clip and base for hands free use
- Conveniently fits In your pocket
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents

# New iSpector Mini Rechargeable Slim Folding Pocket Light




31/2	280 Lumens
	Up to 10m beam
(U	1.5 to 4.5hrs
MODE	Work light: High + Low   Rear light   Torch
	3.7V 750mAh, 3Wh, Li-ion
*	2hrs charging time
****	IP44   IK07
<b>上</b>	30x19x306mm
<u> </u>	80g
CODE	NSI-SPECTORMINI

Supplied with type C USB charging cable

**Optional Accessories:** 








# **iSpector Flex**

Rechargeable 360° Flexible Arm Inspection Light









Supplied with USB adaptor (UK) + charging cable

**Optional Accessories:** 

UK or EU adaptor: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



# **TriSpector**

Car Professionals Set, 3-in-1 Rechargeable Inspection Kit



& solvents

Supplied in a protective case

3.5 to 10hrs

96 www.nightsearcher.co.uk

**IP44** 



NSTRI-SPECTOR

Supplied with USB adaptor (UK) + charging cable and protective case









31/2	750 Lumens
	Up to 40m beam
O	2 to 7hrs runtime
MODE	Work light: High, Low   Torch
	3.7V 2600mAh, 10Wh, Li-ion
*	4hrs charging time
****	IP65   IKO7
<b>,</b>	194x41x59mm
_	337g
CODE	NSI-SPECTOR750

Supplied with USB-C fast charging cable

### **Optional Accessories:**










Micro 1000 Rechargeable Compact Wide Area Work Light









Supplied with USB charging cable



## >1/≥1000lm





IP65

- · Compact design, fits in the palm of your hand
- Glass lens for 90° degrees
- Aluminium heat sink
- Small enough for the tool box
- Battery overcharge + discharge protection
- Resistant to workshop chemicals & solvents

# **PocketStar**

Hi Vis Pocket Inspection Light, Ideal for Close up Work



Rubberised ABS yellow casing


• Resilient polycarbonate/ABS construction

31/5	150 Lumens	
()	4hrs runtime	
MODE	High	
	3 x AAA Alkaline batteries	
<del>上</del>	158 x 76 x 17mm	
	54g	
CODE	NSPOCKETSTAR	





Supplied with 3 x AAA Alkaline batteries



## **Pro250**

### Rechargeable Twist and Swivel Inspection Light with Charging Base



Resilient polycarbonate and ABS construction







Supplied with AC mains charger, 12V + 24V DC, vehicle charger, charging base, Micro USB cable



# **StarBlade**

Rechargeable Slimline Inspection Light that Illuminates Hard to Reach Areas



31/2	300 Lumens	
()	3hrs runtime	
MODE	High	
	3.7V 2200mAh, 9Wh, Li-ion	
*	4hrs charging time	
<del>上</del>	338 x 42 x 6mm	YouTube
<u> </u>	148g	
CODE	NSSTARBLADE	_

Supplied with USB adaptor (UK) + charging cable





(l) 3hrs

- Slim blade design
- Narrow floodlight to illuminate hard to
- Exceptional clear white light output
- Hanging hook and magnetic base
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents





NightSearcher Ltd Unit 4, Applied House, Fitzherbert Spur, Farlington, Hampshire, PO6 1TT, UK 023 9238 9774 sales@nightsearcher.co.uk www.nightsearcher.co.uk



#### **Poland**

**NightSearcher Export** Garbary 53, Poznan **Poland** +48 61 624 29 98 exportsales@nightsearcher.com www.nightsearcher.com



#### Germany

NightSearcher Lichttechnik Stadtweide 17 46446 Emmerich am Rhein, Deutschland +49 282 2602 3110 info@nightsearcher-lichttechnik.de www.nightsearcher-lichttechnik.de













Our Quality Assurance | Your Peace Of Mind

















